



**TÜRK STANDARDLARI ENSTİTÜSÜ**  
**TÜRK STANDARDLARINA UYGUNLUK BELGESİ**  
**TURKISH STANDARDS INSTITUTION**  
**CERTIFICATE OF CONFORMITY TO TURKISH STANDARDS**

Markanın Tanımı Description of the Mark  
TSE veya/or  veya/or T S E

<b>BELGE NUMARASI</b> REFERENCE NUMBER OF LICENCE	000108-TSE-09/05
<b>BELGENİN İLK VERİLİŞ TARİHİ</b> DATE OF FIRST ISSUE OF LICENCE	09.01.2009
<b>BELGENİN SON GEÇERLİLİK TARİHİ</b> LICENCE VALID UNTIL	19.09.2024
<b>BELGE SAHİBİ KURULUŞUN ADI</b> NAME OF THE LICENCE HOLDER	KALE KİLİT VE KALIP SANAYİ ANONİM ŞİRKETİ
<b>BELGE SAHİBİ KURULUŞUN ADRESİ</b> ADDRESS OF THE LICENCE HOLDER	AYAZAĞA MAH. AZERBAJYAN CAD. 1E BLOK NO: 3F İÇ KAPI NO: 22 SARIYER İSTANBUL/TÜRKİYE
<b>ÜRETİM YERİ ADI</b> NAME OF THE MANUFACTURING PLACE	KALE KİLİT VE KALIP SANAYİ A.Ş.
<b>ÜRETİM YERİ ADRESİ</b> ADDRESS OF THE MANUFACTURING PLACE	KARAAĞAÇ OSB MAH. 103. CAD. NO:22 59510 KAPAKLI TEKİRDAĞ / TÜRKİYE
<b>İPTAL EDİLEN BELGE NUMARASI (Varsa)</b> INDICATION OF SUPERSEDED LICENCE (if any)	000108-TSE-07/04
<b>TESCİLLİ TİCARİ MARKASI</b> REGISTERED TRADE MARK	kale
<b>İLGİLİ TÜRK STANDARDI</b> RELATED TURKISH STANDARD	TS EN 1303 / 23.10.2015
<b>BELGE KAPSAMI</b> SCOPE OF LICENCE	

BUILDING HARDWARE-CYLINDERS FOR LOCKS  
CATEGORY OF USE: GRADE 1  
DURABILITY: GRADE 4, GRADE 6  
DOOR MASS: GRADE 0  
FIRE RESSISTANCE: GRADE 0  
SAFETY: GRADE 0  
CORROSION RESSISTANCE AND TEMPERATURE: GRADE C  
KEY RELATED SECURITY: GRADE 3, GRADE 5, GRADE 6  
ATTACK RESSISTANCE: GRADE 0, GRADE C, GRADE D  
CLASSIFICATION: 1/4-6/0/0/C/3-5-6/0-C-D

CATEGORY OF USE: GRADE 1  
DURABILITY: GRADE 4, GRADE 6

*e-imzalı/e-signed*

16.08.2023

On Behalf Of The Head Of Certification Center  
AKDOĞAN BULUT

MANAGER OF THE TSE ISTANBUL CERTIFICATION  
DEPT.P

\*This certificate also shows that the production place of the certified product meets the requirements of Institute.

\*This certificate under any circumstances cannot be changed, duplicated partially or in a way that makes it difficult to read and erasure cannot be done.

\*TSE \* Address: Çayırova Tren İstasyonu Yanı ÇAYIROVA/GEBZE \* Telephone: 2627231273\* Fax: 2627231606

\*TSE HEAD OF CERTIFICATION CENTER; Address: Necatibey Cad. No:112 06100 Bakanlıklar/ANKARA – Telephone: 0 312 416 64 81 / 416 64 27, Fax:0 312 416 66 17 E-mail

:bmb@tse.org.tr , web : www.tse.org.tr





**TÜRK STANDARDLARI ENSTİTÜSÜ**  
**TÜRK STANDARDLARINA UYGUNLUK BELGESİ**  
**TURKISH STANDARDS INSTITUTION**  
**CERTIFICATE OF CONFORMITY TO TURKISH STANDARDS**



(000108-TSE-09/05nolu belge devamı) : KALE KİLİT VE KALIP SANAYİ ANONİM ŞİRKETİ  
İLGİLİ TÜRK STANDARDI(RELATED TURKISH STANDARD) TS EN 1303 / 23.10.2015

DOOR MASS: GRADE 0  
FIRE RESSISTANCE: GRADE 0  
SAFETY: GRADE 0  
CORROSION RESSISTANCE AND TEMPERATURE: GRADE C  
KEY RELATED SECURITY: GRADE 4, GRADE 6  
ATTACK RESSISTANCE: GRADE 0, GRADE D (16.12.2019 SCOPE EXPANDED)  
CLASSIFICATION: 1/4-6/0/0/0/C/3-6/0-D

CATEGORY OF USE: GRADE 1; FOR USE OF PERSONS WHO ARE HIGHLY REQUIRED TO TAKE CARE, LOW  
POTENTIAL FOR ABUSE  
DURABILITY: GRADE 6, 100.000 TEST CYCLES  
DOOR MASS: GRADE 0, NO REQUIREMENT FOR DOOR MASS  
FIRE RESSISTANCE: GRADE 0, NOT SUITABLE FOR USE İN FIREPROOF/SMOKE CONTROL DOOR SETS  
SAFETY: GRADE 0, NO REQUIREMENT FOR SAFETY  
CORROSION RESSISTANCE AND TEMPERATURE: GRADE C, HIGH CORROSION RESSISTANCE,  
TEMPERATURE REQUIREMENT:-25°C TO +65°C  
KEY RELATED SECURITY: GRADE 6, 100.000 MINIMUM NUMBER OF EFFECTİVE COMBINATIONS/6 MINIMUM  
NUMBER OF PINS  
ATTACK RESSISTANCE: GRADE A, MINIMUM DRILLING RESSISTANCE 3/5, WITHSTAND MECHANICAL  
STRESS EXCLUDING TUBE/CYLINDER REMOVAL (12.09.2022 SCOPE EXPANDED)  
CLASSIFICATION: 1/6/0/0/0/C/6/A

*e-imzalı/e-signed*

16.08.2023

On Behalf Of The Head Of Certification Center  
AKDOĞAN BULUT

MANAGER OF THE TSE ISTANBUL CERTIFICATION  
DEPT.P

\*This certificate also shows that the production place of the certified product meets the requirements of Institute.

\*This certificate under any circumstances cannot be changed, duplicated partially or in a way that makes it difficult to read and erasure cannot be done.

\*TSE \* Address: Çayırova Tren İstasyonu Yanı ÇAYIROVA/GEBZE \* Telephone: 2627231273\* Fax: 2627231606

\*TSE HEAD OF CERTIFICATION CENTER; Address: Necatibey Cad. No:112 06100 Bakanlıklar/ANKARA – Telephone: 0 312 416 64 81 / 416 64 27, Fax:0 312 416 66 17 E-mail

:bmb@tse.org.tr , web : www.tse.org.tr





**TÜRK STANDARDLARI ENSTİTÜSÜ**  
**TÜRK STANDARDLARINA UYGUNLUK BELGESİ**  
**TURKISH STANDARDS INSTITUTION**  
**CERTIFICATE OF CONFORMITY TO TURKISH STANDARDS**

Markanın Tanımı Description of the Mark  
TSE veya/or  veya/or T S E

(000108-TSE-09/05 nolu belge devamı) : KALE KİLİT VE KALIP SANAYİ ANONİM ŞİRKETİ  
İLGİLİ TÜRK STANDARDI (RELATED TURKISH STANDARD) TS EN 1303 / 23.10.2015

**G İŞARETLEMESİ BİLGİLERİ**

Bu ek sayfa 000108-TSE-09/05 numaralı Türk Standardlarına Uygunluk Belgesi ile birlikte kullanılır. Türk Standardlarına Uygunluk Belgesi'nin yürürlükte olduğu süre için geçerlidir.

**G İŞARET İLK VERİLİŞ TARİHİ:** 09.01.2009

**UYGUNLUK TEYİT SİSTEMİ:** Sistem 1

Üretimini yaparak piyasaya arz ettiğiniz ürünler üzerine "G" İşareti iliştirebilme talebiniz T.C. Çevre ve Şehircilik Bakanlığı tarafından yayımlanan "Yapı Malzemelerinin Tabi Olacağı Kriterler Hakkında Yönetmelik" çerçevesinde "Yapı Malzemelerinin Tabi Olacağı Kriterler Hakkında Yönetmelik Kapsamında Türk Standardları Enstitüsü'nün (TSE) Gerçekleştireceği Uygunluk Değerlendirme ve Belgelendirme İşlemleri Hakkında Tebliğ" doğrultusunda değerlendirilmiş olup, bu belge kapsamında yer alan ürünler üzerine "G" İşareti iliştiirmeniz uygun bulunmuştur.

*e-imzalı/e-signed*

16.08.2023

On Behalf Of The Head Of Certification Center  
AKDOĞAN BULUT

MANAGER OF THE TSE ISTANBUL CERTIFICATION  
DEPT.P

\*This certificate also shows that the production place of the certified product meets the requirements of Institute.

\*This certificate under any circumstances cannot be changed, duplicated partially or in a way that makes it difficult to read and erasure cannot be done.

\*TSE \* Address: Çayırova Tren İstasyonu Yanı ÇAYIROVA/GEBZE \* Telephone: 2627231273\* Fax: 2627231606

\*TSE HEAD OF CERTIFICATION CENTER; Address: Necatibey Cad. No:112 06100 Bakanlıklar/ANKARA – Telephone: 0 312 416 64 81 / 416 64 27, Fax:0 312 416 66 17 E-mail

:bmb@tse.org.tr , web : www.tse.org.tr

